AMENDMENTS TO THE CLAIMS

- (Currently Amended) A process of detecting an oligonucleotide elongation, the process comprising:
 - (a) providing an oligonucleotide;
 - (b) combining a detectable moiety and the oligonucleotide to form a labeled oligonucleotide, the labeled oligonucleotide characterized by an association independent of a dual-contribution- organometallic coordinate covalent bond between the detectable moiety and the oligonucleotide;
 - (c) adding the labeled oligonucleotide to an oligonucleotide elongation mixture;
 - (d) initiating an elongation reaction in the oligonucleotide elongation mixture; and
 - (e) assaying for the labeled oligonucleotide in the oligonucleotide elongation mixture to detect the oligonucleotide elongation.
 - 2. (Canceled)
- (Original) The process of claim 1 wherein the detectable moiety comprises a fluorophore.
- (Original) The process of claim 1 wherein the detectable moiety comprises a metal-containing fluorescent compound.
- (Original) The process of claim 4 wherein the metal-containing fluorescent compound comprises platinum.
- (Original) The process of claim 4 wherein the metal-containing fluorescent compound comprises a metal selected from the group consisting of: palladium, rhodium, ruthenium, osmium, and iridium.

- (Original) The process of claim 1 wherein the elongation reaction is a polymerase chain reaction.
- (Original) The process of claim 1 wherein the elongation reaction is a reverse transcription reaction.
- (Original) The process of claim 1 wherein the elongation reaction is a primer extension reaction.
- (Original) The process of claim 1 wherein the elongation reaction is a ligase chain reaction.
- (Previously Presented) The process of claim 1 wherein the process further comprises purifying the labeled oligonucleotide.
- 12. (Previously Presented) The process of claim 1 wherein the step of assaying the labeled oligonucleotide comprises a measurement selected from the group consisting of: fluorescence polarization, fluorescence intensity, and fluorescence resonance energy transfer.

13-14. (Canceled)

- 15. (Currently Amended) A process of detecting an oligonucleotide elongation, the process comprising the steps of:
 - (a) providing an oligonucleotide elongation reaction mixture comprising an oligonucleotide labeled with a fluorescent compound by— through an association independent of a dual contribution organometallic coordinate covalent bond;
 - (b) measuring a fluorescence parameter in the oligonucleotide elongation reaction mixture at a first time point to obtain a test measurement; and
 - (c) comparing the test measurement with a reference measurement to detect the oligonucleotide elongation.

- 16. (Original) The process of claim 15 wherein the reference is a second measurement of a fluorescence parameter in the oligonucleotide reaction mixture at a second time point.
- (Original) The process of claim 16 wherein the second time point is before initiation of the clongation reaction.
- (Original) The process of claim 16 wherein the first and second time points are after initiation of the elongation reaction.
- (Original) The process of claim 15 wherein the reference is a measurement of a fluorescence parameter in a second oligonucleotide extension reaction mixture.
 - 20. (Canceled)
- (Original) The process of claim 15 wherein the fluorescent compound is a metalcontaining fluorescent compound.
- 22. (Original) The process of claim 21 wherein the metal-containing fluorescent compound comprises platinum.
- 23. (Original) The process of claim 21 wherein the metal-containing fluorescent compound comprises a metal selected from the group consisting of: palladium, rhodium, ruthenium, osmium, and iridium.
- (Original) The process of claim 15 wherein the elongation reaction is a polymerase chain reaction.

- (Original) The process of claim 15 wherein the elongation reaction is a reverse transcription reaction.
- (Original) The process of claim 15 wherein the elongation reaction is a primer extension reaction
- (Original) The process of claim 15 wherein the elongation reaction is a ligase chain reaction.
- 28. (Original) The process of claim 15 wherein the fluorescence parameter is selected from the group consisting of: fluorescence polarization and fluorescence intensity and fluorescence resonance energy transfer.

29-38. (Canceled)

- (Previously Presented) A process of detecting formation of an oligonucleotide hybrid, the process comprising:
 - (a) providing a hybridization reaction mixture comprising an oligonucleotide labeled with a metal-containing fluorescent compound;
 - (b) measuring a fluorescence parameter associated with the metal-containing fluorescent compound in the hybridization reaction mixture at a first time point to obtain a test measurement; and
 - (c) comparing the test measurement with a reference measurement to detect the oligonucleotide hybridization.

40-54. (Canceled)